

## SAFETY DATA SHEET

### SECTION 1 Product and Company Identification

#### Product

Product Name: [DK 500 Part A](#)

Product Description: Think Build Epoxy 100% Solids / Part A

Intended Use: High performance interior epoxy floor coating / Resin

#### Company

**Manufacturer:** SureCrete Design Products, Inc.

15246 Citrus Country Drive

Dade City, FL 33523

USA

**Contact:** 1-352-567-7973 (telephone general)

1-800-262-8200 Chemtrec

+1 703-741-5500 Chemtrec International

[info@surecretedesign.com](mailto:info@surecretedesign.com) (e-mail)

1-352-521-0973 (facsimile)

---

### SECTION 2 Hazards Identification

#### Classification of substance or mixture:

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable Liquids	Category 3
Acute Toxicity	Category 4 Oral
Acute Toxicity	Category 4 Dermal
Acute Toxicity	Category 4 Inhalation
Skin Corrosion /Irritation	Category 2
Serious Eye Damage / Eye Irritation	Category 2 And 2A
Skin Sensitizer	Category 1
Toxic To Specific Target Organ	Category 3
Toxicity - Single Exposure	
Aspiration Hazard	Category 1
Hazardous To The Aquatic Environment Long-Term (Chronic)	Chronic 2

#### GHS Label Elements:

##### Hazard Symbol:



**Signal Word: DANGER**



**Label Hazard Statements:**

- H227: Combustible liquid.
- H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled.
- H304: May be fatal if swallowed or enters airways.
- H315: Causes skin irritation.
- H317: May cause allergic skin reaction.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H411: Toxic to aquatic life with long lasting effects .

**Label Precautionary Statements:**

**PREVENTION:**

- P210: Keep away from heat / hot surfaces / sparks / open flames and other sources of ignition. No smoking.
- P233: Keep container tightly closed.
- P240: Ground and bond container and receiving equipment.
- P243: Take action to prevent static discharge.
- P261: Avoid breathing dust / fume / gas / mist / vapor / spray.
- P264: Wash hands and any exposed area thoroughly after handling.
- P270: Do not eat, drink or smoke while using this product.
- P271: Use only outdoors or in well-ventilated area.
- P272: Contaminated work clothing should not be allowed out of the workplace.
- P273: Avoid release to the environment.
- P280: Wear protective impervious gloves/ OSHA approved eye protection/face protection.

**RESPONSE:**

- P301+P310: If swallowed: Immediately call a Poison Center / doctor.
- P303+P361+P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).
- P304+P340: If inhaled: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312: Call a POISON CENTER/doctor if you feel unwell.
- P321: Specific treatment (see on this label)
- P322: Specific measures (see on this label)
- P330: Rinse mouth.
- P331: Do NOT induce vomiting.
- P333+P313: If skin irritation or rash occurs: Get medical advice /attention.
- P337+P313: If eye irritation persists: Get medical advice /attention.
- P362: Take off contaminated clothing and wash before reuse.
- P363: Wash contaminated clothing before reuse.
- P370+P378: In case of fire: Use carbon dioxide (CO<sub>2</sub>), powder, alcoholresistant foam to extinguish.

**STORAGE:**

- P403+P233: Store in a well-ventilated place. Keep container tightly closed.
- P403+P235: Store in a well-ventilated place. Keep cool.
- P405: Store locked up.

**DISPOSAL:**

- P501: Store separately. Dispose of contents / container in accordance with local / regional / national /



international regulations.

### Hazard Ratings

	<i>health</i>	<i>flammability</i>	<i>reactivity</i>	<i>protective(ppe)</i>
<b>HMIS</b>	2	0	0	B

### SECTION 3 Composition / Information on Ingredients

This material is regulated as a mixture

Ingredient	CAS #	Weight %	Exposure Limits		
			OSHA PEL	ACGIH TLV	OTHER
Epichlorohydrin Copolymer	25068-38-6	75-95	NOT ESTABLISHED		
+* O-CRESYL GLYCIDYLETHER	2210-79-9	15.6			
Cumene	98-82-8		50 PPM	50 PPM	

\* Chemical(s) that are chronic health hazards. Refer to section 3 for further information.

+ Toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

^ Hazardous Air Pollutant established by the EPA as directed by the Clean Air Act of 1990.

### SECTION 4 First Aid Measures

**Primary Routes Of Exposure:** Skin contact.

#### Description Of First Aid Measures:

**Eyes:** Flush with large amounts of water for 15 minutes, lifting upper and lower eyelids. If irritation persists seek medical attention.

**Skin Contact:** Wash contaminated area with soap and water. Remove and launder contaminated clothing.

**Ingestion:** If a large amount is ingested, give water or milk and induce vomiting. Seek medical attention.

**Inhalation:** Remove victim to fresh air and provide oxygen if breathing is difficult. If breathing has stopped administer artificial respiration. Seek medical attention if condition persists.

#### Most Important Symptoms/Effects, Acute And Delayed:

**Eyes:** Direct contact with eyes may cause irritation.

**Skin:** Prolonged or repeated contact may cause irritation.

**Inhalation:** Inhalation of vapor or mist can cause irritation of nose, throat and lungs and lead to headaches and nausea.

**Ingestion:** Not an anticipated route of exposure. Small amounts are not expected to be harmful.

**Chronic Health Effects:** Although some components may indicate chronic exposure effects, no effects are anticipated under normal use conditions due to the relatively low proportion in the total mixture.

**Medical Conditions Generally Aggravated By Exposure:** No known effects on other illnesses.

**Indication Of Immediate Medical Attention And Special Treatment Needed:** Treat symptomatically.

### SECTION 5 FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** This material will not burn in its liquid state unless heated above its flash point. Dried films may burn and can be extinguished by water spray, foam, dry chemical or carbon dioxide.



**Specific Hazards Arising From The Substance Or Mixture:** In the event of fire, harmful vapors including carbone monoxide, carbond dioxide, and others may be released. There is the possibility of pressure buildup in closed containers when heated. Water spray may be used to cool these containers.

**Special Protective Equipment And Precautions For Fire-Fighters:** Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment. Isolate danger area, keep unauthorized personnel out.

---

## SECTION 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment And Emergency Procedures:** Evacuate area and keep unnecessary and unprotected personnell from entering the spill area. Use proper personal protective equipment listed in section 8.

**Environmental Precautions:** Keep runoff from storm sewars, ditches, streams, lakes and other ground waters and waterways.

**Methods And Materials For Containment And Clean Up:** Contain all spills. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize. Collect into suitable contaners and dispose of properly in accordance with all applicable regulations. (See Section 13) Rinse affected area thoroughly with water.

---

## SECTION 7 HANDLING AND STORAGE

**Precautions For Safe Handling:** Employees who come in contact with this material must be trained in accordance to 1910.1200 of the Hazard Communicatin Standard. Wear chemical resistant gloves and protective clothing to minimize contact. The use of respiratory protection is advised when spraying because of mist and dust overspray.

**Precautions For Safe Storage:** Keep containers tightly closed. Use and store material in cool, dry, well-ventilated areas away from heat, direct sunlight, hot metal surfaces, and all sources of ignition. Post "No smoking or open flame" sign. Store only in approved containers. Keep away from incompatible materials (see section 10). Protect containers against physical damage. Indoor storage should meet OSHA standards and appropriate fire codes.

**Other Precautions:** All empty containers should be disposed of in an environmentally safe manner in accordance with all governmental regulations.

---

## SECTION 8 EXPOSURE CONTROL / PERSONAL PROTECTION

**Control Parameters:** See Section 3 for occupational exposure limit values.

**Engineering Controls:** General room ventilation is adequate.

### Personal Protective Equipment:

**Respiratory Protection:** No special requirements under normal use conditions. In confined areas, or areas with poor ventilation, engineering controls should be used to minimize exposure. Use NIOSH/MSHA approved respirator if conditions warrant.

### Protective Gloves:

Prevent prolonged or repeated contact by wearing chemical resistant gloves and other appropriate protective clothing. Launder contaminated clothing before reuse.

### Eye Protection:



Wear safety glasses to reduce eye contact potential. Chemical safety goggles (ANSI Z87.1 or approved equivalent) are appropriate if splashing is likely. Eye washes must be available where eye contact can occur.

**Other Protective Clothing Or Equipment:**

A source of clean water should be available for flushing eyes and skin. Showers should be available if larger spills are possible.

**Work/Hygienic Practices:**

Efforts should be made to minimize contact and spills.

---

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical State: Liquid

Color: Various Colors

Odor: Odorless.

pH: Not Determined

Odor Threshold: Not Measured

Solubility In Water: Insoluble/Negligible

Melting/Freezing Point: Not Determined

Boiling Point/Range:

Specific Gravity (H<sub>2</sub>O=1): 1.14

Vapor Density: Greater Than Air

Evaporation Rate: Not Determined

Flammability: Not Determined

Flash Point: No flashPMCC

Vapor Pressure: Not Determined

Upper Explosion Limit: n/a

Auto-Ignition Temperature: Not Determined

Lower Explosion Limit: n/a

Partition Coefficient: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Determined

Coating V.O.C.: 4 g/l (0.03 lb/gl )

---

**SECTION 10 STABILITY AND REACTIVITY**

**Reactivity:** Will not occur.

**Chemical Stability:** Stable under normal conditions and handling.

**Possibility Of Hazardous Reactions:** No hazardous reactions if stored and handled as prescribed/indicated.

**Conditions To Avoid:** None known.

**Incompatible Materials:** Avoid exposure to strong oxidizing agents and reducing agents.

**Hazardous Decomposition Or Byproducts:** Combustion may liberate toxic byproducts such as carbon dioxide, and carbon monoxide, various oxides of carbon and nitrogen. Thermal decomposition may liberate acrylic monomers and ammonia.



## SECTION 11 TOXICOLOGICAL INFORMATION

**Sensitization:** Product is a skin sensitizer; sensitization can be severe in susceptible individuals.

**Carcinogenicity:** There is no data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.

**Reproductive Toxicity:** There is no data available to indicate any components present at greater than 0.1% may present reproductive toxicity.

**Teratogenicity (Birth Defects):** There is no data available to indicate any components present at greater than 0.1% may cause birth defects.

**Mutagenicity:** There is no data to indicate that any component present at greater than 0.1% will alter DNA.

---

## SECTION 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** No data available.

**Persistence And Degradability:** Not readily degradable.

**Bioaccumulative Potential:** No data available.

**Mobility In Soil:** No data available.

**Other Adverse Effects:** Although no information is available for this specific product mixture, individual components may by themselves may have ecological affects.

---

## SECTION 13 DISPOSAL CONSIDERATIONS

This product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261, however, state and local regulations may be more restrictive. Coagulate the emulsion by the stepwise addition of ferric chloride and lime. Remove the clear supernatant and flush to a chemical sewer. Incinerate liquid and contaminated solids in accordance with local, state, and federal regulations.

---

## SECTION 14 TRANSPORT INFORMATION

**Proper shipping name: (un #, shipping name, hazard class, packing group)**

Not regulated.

---

## SECTION 15 REGULATORY INFORMATION

**US Toxic Substance Control ACT (TSCA):**

All ingredients of this product are listed, or are excluded from listing, on the US Toxic Substances Control Act (TSCA) chemical substance inventory.

**SARA 302 Extremely Hazardous Substance:** None

**SARA 311/312 Hazardous Chemical:** See Section 3



**SARA 313 (Tri Reporting):** This product does contain a chemical(s) subject to the reporting requirements of SARA Title III, Section 313 (40CFR 372) See section 3.

State Listed Components	CAS Number	State Code
Phenylglycidyl Ether	122-60-1	CA
Cumene	98-82-8	CA,CT,FL,IL,LA,MA,ME,MN,NJ,PA,RI

#### California Proposition 65

This product contains a chemical(s) known to the state of California to cause cancer, birth defects or reproductive harm, which are subject to the requirements of California Proposition 65.

Phenyl glycidyl ether	CAS #122-60-1	Cancer
Cumene	98-82-8	Cancer

#### SECTION 16 OTHER INFORMATION

This version replaces all previous versions. The information contained in this SDS and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Although certain hazards are described herein, The Sierra Company, LLC, cannot guarantee that these are the only hazards that exist. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall The Sierra Company, LLC, assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. The Sierra Company, LLC, expressly disclaims any representations and warranties of any kind, whether express or implied, as to the accuracy, completeness, noninfringement, merchantability and/or fitness for a particular purpose with respect to any information and recommendations provided. The Sierra Company, LLC, reserves the right to make any changes to the information and/or recommendations at any time, without prior subsequent notice.

**Recommended Restriction:** for use by trained professionals, having read the complete SDS

*To the best of our knowledge the information contained here is accurate. However, neither the above named manufacturer nor any of its distributors assumes any liability whatsoever for the accuracy or the completeness of the information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*