

SAFETY DATA SHEET

SECTION 1 Product and Company Identification

Product

Product Name: SCT-EP (Part B)

Product Description: 2-part epoxy crack treatment (catalyst) Intended Use: Treating static cracks and spalls in concrete

Company

Manufacturer: SureCrete Design Products, Inc.

15246 Citrus Country Drive

Dade City, FL 33523

USA

Contact: 352-567-7973 (telephone general)

800-262-8200 Chemtrec

+1 703-741-5500 Chemtrec International info@surecretedesign.com (e-mail)

352-521-0973 (facsimile)

SECTION 2 Hazards Identification

Classification of substance or mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Skin sensitizer (Category 1), H317 STOT SE (Category 3) H335

GHS Label Elements

Hazard Symbols:





Signal word: Danger

Label Hazard Statements

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation.

Label Precautionary statements

P260: Do not breathe dust/fumes/gas/mist/vapors/spray. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.



P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/clothing and eye/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor P321: Specific treatment (see ... on this label).

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/ doctor if you feel unwell.

P363: Wash contaminated clothing before reuse.

P333+313: If skin irritation or a rash occurs: Get medical advice/attention. P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P330: Rinse mouth.

P302+352: IF ON SKIN: Wash with plenty of water

P405: Store locked up.

P403+233: Store in a well ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to in accordance with local/regional/national/international regulation.

SECTION 3 Composition / Information on Ingredients

This material is regulated as a mixture

Ingredient	CAS#	EC#	% (by weight)
Hazardous			
Benzyl alcohol	100-51-6	202-859-9	<60%
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	38294-64-3	NE	<40%
Isophorone Diamine	2855-13-2	220-666-8	<30%

The exact percentage of composition has been withheld as a trade secret.

SECTION 4 First Aid Measures

General Information: Take affected persons out into the fresh air. Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Inhalation: Move to fresh air. Seek medical help.

Skin Contact: Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. Do not pull solidified product off the skin. If skin irritation continues, consult a doctor.

Eye Contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor.



Ingestion: Seek immediate medical attention. Do not induce vomiting. Rinse out mouth and then drink plenty of water.

Most important symptoms and effects, both acute and delayed: Gastric or intestinal disorders; Cramp; Coughing; Dizziness; Breathing difficulty; Allergic reactions.

Hazards: Danger of impaired breathing; Condition may deteriorate with alcohol consumption; Danger of pulmonary edema.

Indication of any immediate medical attention and special treatment needed: If swallowed, gastric irrigation with added, activated carbon. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Monitor circulation, possible shock treatment. Treat skin and mucous membrane with antihistamine and corticoid preparations.

SECTION 5 Fire Fighting Measures

Appropriate Extinguishing Media: Foam, CO₂, dry chemical, water spray or fog.

Inappropriate Extinguishing Media: Solid streams of water; high pressure water jet.

Fire Fighting Instructions: Wear self-contained breathing apparatus. Wear protective equipment.

Unusual Fire Hazards: Formation of toxic gases is possible during heating or in case of fire, the following can be released: Nitrogen oxides (NOx) and Carbon monoxide (CO). Under certain fire conditions, traces of other toxic gases cannot be excluded.

Additional information: Cool endangered receptacles with water spray.

SECTION 6 Accidental Release Measures

Personal Precautions, Protective Equipment, Emergency Procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away.

Methods and Materials for Containment and Clean-up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean the affected area carefully; suitable cleaners are: warm water and cleansing agent. Dispose of as hazardous waste.

Environmental precautions: Do not allow to enter drainage system, surface or ground water.

SECTION 7 Handling and Storage

Handling: Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Keep receptacles tightly sealed. Take note of emission threshold. Keep ignition sources away - Do not smoke.

Storage: Keep away from food and drink. Keep container tightly sealed. Store containers in a well ventilated area. Ensure good ventilation/exhaustion at the workplace. Store away from oxidizing agents.

SECTION 8 Exposure Control / Personal Protection Ingredients with limit values that require monitoring at the workplace:



100-51-6 Benzyl alcohol / WEEL: 10ppm

Exposure controls

Personal protection equipment:

Respiratory protection: use suitable respiratory protective device when aerosol or mist is formed. Use suitable respiratory protective device when high concentrations are present.

Hand protection: suitable protective gloves, glove material has to be impermeable and resistant to the product. Eye protection: Contact lenses should not be worn. Safety glasses. Goggles recommended during refilling. Skin and body protection: suitable protective clothes and boots.

General: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

SECTION 9 Physical and Chemical Properties

Appearance: Liquid Color: Light yellowish Odor: Ammonia-like

Odor threshold: No data available

pH: No data available

Melting point: No data available Boiling point: >205°C / >401°F Flash point: 96°C / 203 °F

Evaporation rate: No data available Flammability (solid, gas): Not applicable

Explosive limits:

Lower: 1.3 Vol % Upper: 13 Vol %

Vapor pressure at 20°C: 0,1 hPa Vapor density: No data available Relative density: No data available

Solubility in / Miscibility with water: Fully miscible.

Partition coefficient: No data available Ignition temperature: 435°C / 815 °F

Decomposition temperature: No data available

Self-igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Viscosity: No data available

SECTION 10 Stability and Reactivity

Stability: Stable under normal conditions.

Reactivity: Not available.

Conditions to avoid: Keep ignition sources away - Do not smoke. Store away from oxidizing agents.



Materials to avoid: Reacts with strong acids and oxidizing agents. Reacts with peroxides and other radical forming substances. Reacts with strong alkali.

Hazardous decomposition products: Ammonia. Carbon monoxide and carbon dioxide. Nitrogen oxides (NOx).

SECTION 11 Toxicological Information

Route of Exposure

Skin Contact: Caustic effect on skin and mucous membranes.

Eye Contact: Serious eye damage / eye irritation.

Sensitization: Sensitizing effect through inhalation is possible by prolonged exposure. Sensitization possible through skin contact.

Additional toxicological information: Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc. Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. In addition to local irritant manifestations, there is a narcotic effect when inhaling high concentrations, with the danger of central respiratory arrest.

Component Information

Chemical Name	Oral LD50	Dermal LD50
Benzyl alcohol	1230 mg/kg (Rat)	2000 mg/kg (Rabbit)
100-51-6		
3-aminomethyl-3,5,5-	1030 mg/kg (Rat)	No data available
trimethylcyclohexylamine		
2855-13-2		

Carcinogenic categories:

EPA (Environmental Protection Agency): none of the ingredients listed.

TLV (Threshold Limit Value established by ACGIH): none of the ingredients listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): none of the ingredients listed.

OSHA-Ca (Occupational Safety & Health Administration): none of the ingredients listed.

SECTION 12 Ecological Information

Aquatic toxicity: The material is harmful to the environment.

Persistence and degradability: The product is partly biodegradable. Significant residuals remain.

Bio accumulative potential: Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

Other adverse effects: Slightly hazardous for water. Do not allow undiluted product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralized. Danger to drinking water. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.



SECTION 13 Disposal Considerations

Disposal instructions: Can be disposed of with household garbage *after solidification* following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Section 14 Transport Information International transport regulations

DOT

UN number: UN1760

UN proper shipping name: Corrosive Liquid, N.O.S. (Isophoronediamine), Environmentally Hazardous

Class: 8 Corrosive substances.

Packing group: III

ADR/RID

UN number: UN1760

UN proper shipping name: 1760 Corrosive Liquid, N.O.S. (Isophoronediamine), Environmentally Hazardous

Class: 8 (C9) Corrosive substances.

Packing group: |||
Special precautions:

Limited quantities: 5L Transport category: 3 Tunnel restriction code: E

IATA

UN number: UN1760

UN proper shipping name: Corrosive Liquid, N.O.S. (Isophoronediamine)

Class: 8 Corrosive substances.

Packing group: III

IMDG

UN number: UN1760

UN proper shipping name: Corrosive Liquid, N.O.S. (Isophoronediamine), Marine Pollutant

Class: 8 Corrosive substances.

Packing group: III

Special precautions for user:

Warning: Corrosive substances.

Danger code (Kemler): 80

EMS Number: F-A, S-B

Segregation groups: Alkalis

Environmental hazards

Marine pollutant: No



US federal regulations:

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): All ingredients listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 355 (extremely hazardous substances): None listed

SARA 313 (TRI reporting): None listed

US state regulations

Proposition 65 (California):

106-89-8 / 1-chloro-2,3-epoxypropane: Known to cause cancer, developmental toxicity.

Canada

Canadian domestic substances list (DSL): All ingredients listed.

SECTION 16 Other Information

Recommended restriction: for use by trained professionals, having read the complete SDS

Hazard Ratings

	health	flammability	reactivity
HMIS	3	1	0
NFPA	3	1	0

To the best of our knowledge the information contained here is accurate. However, neither the above named manufacturer nor any of its distributors assumes any liability whatsoever for the accuracy or the completeness of the information contained herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.